

August 15, 2019

Re: Wylie Meadows Subdivision
Aberdeen, SD
A-6871

ADDENDUM NUMBER 2

The following modifications are made to the plans and specifications for the Wylie Meadows Subdivision, Aberdeen, SD.


1.) Construction Specifications, Section 32 92 19 Seeding and Fertilizing, Addition

In lieu of hydraulically applied fiber mulch, straw mulching may be used. Straw mulching shall be done in accordance with the following:

2.04 STRAW MULCH

- A. Mulch material shall be grass or straw mulch. Material shall be substantially free from noxious weed seeds and objectionable foreign matter. Materials having characteristics making them unsuitable for the purpose intended shall be rejected.
- B. Mulch shall be applied and secured in accordance with the South Dakota Department of Transportation, Standard Specifications for Roads and Bridges, Section 732 at an approximate rate of two (2) tons per acre to provide a loose depth of not less than 1 1/2-inches nor more than 3-inches.

ALL OTHER ITEMS OF THE PLANS AND SPECIFICATIONS REMAIN UNCHANGED.

BY:  _____
PROJECT ENGINEER - HELMS AND ASSOCIATES



=====

COMPANY NAME: _____ BY: _____

TITLE: _____ DATE: _____

ATTACH THIS SIGNED ADDENDUM NUMBER 1 TO THE BID FORM WHEN SUBMITTING AND/OR ACKNOWLEDGE THE ADDENDUM ON THE BID FORM.