

June 2nd, 2026

RE: ELK STREET MILLING AND OVERLAY
ELKTON, SOUTH DAKOTA
SPN #16925

BID LETTING: THURSDAY, JUNE 4TH, 2026 @ 6:00 PM CDT

ADDENDUM NUMBER 1

The following modifications are to be made to the specifications for the Elk Street Milling and Overlay Project.

SPECIFICATIONS:


Section 32 10 00, Bases and Paving, Paragraph 2.01:

An allowed substitution for asphaltic concrete material shall be as follows: Aggregate conforming to Class E, Type 2, a maximum allowable Reclaimed Asphalt Pavement (RAP) of 10%, and asphalt cement binder shall be non-poly-modified 58-34.

Prior to incorporation, RAP will be processed over a 1½ inch screen to remove large chunks. The final gradation of RAP used in asphalt concrete shall be 100% passing a 1½ inch sieve, and 95-100% passing a 1" sieve.

All other items of the plans and specifications remain unchanged.


Jeffrey P. McCormick, Project Engineer
Schmucker, Paul, Nohr & Associates



The undersigned hereby acknowledges receipt of Addendum Number 1 to the plans and specifications for the *ELK STREET MILLING AND OVERLAY*.

FIRM NAME _____
BY _____
TITLE _____
DATE _____

ATTACH THIS SIGNED ADDENDUM NO. 1 TO THE BID FORM WHEN SUBMITTING.