

March 10, 2023

**RE: EAST 4TH STREET IMPROVEMENTS
MILLER, SOUTH DAKOTA
SPN #16164**

BID LETTING: THURSDAY, MARCH 16, 2023 @ 2:00 PM

ADDENDUM NUMBER 1

The following modifications are to be made to the plans and specifications for the East 4th Street Improvements Project.

PLANS

Sheet 44, Perforated Drain Pipe Bedding Detail, shall be removed in its entirety and replaced with the attached detail.

SPECIFICATIONS


Section 32 10 00, Bases and Paving, Paragraph 3.02 F shall be added:


- F. City furnished base course shall be hauled to the site by the Contractor. The base course will be stockpiled at Southwest 1st Street, three blocks west of South Broadway Avenue.

Section 33 42 00, Storm Water Conveyance, Paragraph 2.01 shall be removed in its entirety and replaced with the following:

- A. Fittings and pipe for Polyvinyl Chloride (PVC) drain pipe shall be of PVC with materials and dimensions conforming to the requirements of ASTM D3034 and shall have a smooth interior. The PVC pipe shall be SDR 35 or approved equal.

All other items of the plans and specifications remain unchanged.



Jacob D. Sonne, Project Engineer
Schmucker, Paul, Nohr & Associates



The undersigned hereby acknowledges receipt of Addendum Number 1 to the plans and specifications for the EAST 4TH STREET IMPROVEMENTS.

FIRM NAME _____
BY _____
TITLE _____
DATE _____

ATTACH THIS SIGNED ADDENDUM NO. 1 TO THE BID FORM WHEN SUBMITTING.



PERFORATED DRAIN PIPE BEDDING DETAIL

SCALE: NONE

SPN

& Associates

Engineers, Planners and Surveyors

2100 North Sanborn Blvd. - P.O. Box 398

Mitchell, South Dakota 57301

Phone: (605) 996-7761

Fax: (605) 996-0015